

Press-Fit Connector
PCB Insertion Equipment
from
Fancort Industries, Inc.



Press Options



BP-500-4



- Output of 1175 lbs at 100 psi
- Adjustable column with 11" max inside
- 3" stroke; others available
- Speed control
- Easy tool changeover
- Two second cycle time
- Standard tool cost range with press is \$5500-\$6500

BP-1000



- Two models, 1 and 2 tons
- 'C' frame construction
- Die plate measures 16" W x 13 ¼" D with three sets tapped holes for tool mounting
- 4" stroke standard
- Speed control, filter/regulator
- Two to four second cycle time
- Standard tool cost range with press is \$6000-\$7000

5000L




- Four models from one to five tons
- Front mounted counter and pressure gauge
- Optional wide model with 22" die plate
- 4" stroke standard
- Two to four second cycle time
- Optional non-contact optical hand controls
- Speed control, filter/regulator
- Standard tool cost range with press is \$7100 to \$10,000

ElectroPress



- Stand-alone models with force output from 50kgf to 5000kgf
- Computer controlled servo with built-in load cell to precisely control speed, stop load, distance, force, dwell and more
- Optional clean-room model
- Optional software for training, data collection, reporting, etc.
- Repeatable accuracy of $\pm .005\text{mm}$
- Store up to 100 programs
- Stroke length 80 to 200mm depending on model
- Standard tool cost range with press from \$22,000 to \$30,000

Press-Fit Tooling Pricing From \$3500



Press and Tooling

